10/773,573

DOCKET NO. P21-164404M/ISI

2

## **AMENDMENTS TO THE CLAIMS:**

Claim 1. (Currently amended) A securing clip for securing a first panel member with a second panel member, comprising:

a first fitting portion having <u>a</u> the U-character shape for fitting a holed end portion of the first panel member; and

a second fitting portion having a the U-character shape for fitting a holed end portion of the second panel member, wherein:

the securing clip being like an the S-character in cross section; and

each of the first fitting portion and the second fitting portion comprising is formed with an engaging pawl engaging a hole at the end portion of the corresponding panel member on an inner wall face of its own, and the second fitting portion comprising is formed with an engagement wall having an engagement face at an end of the engagement wall faces an opening in the closed end of the U-character shape of the second fitting portion engaging a regulation wall provided on the second panel member.

- Claim 2. (Currently amended) The securing clip according to claim 1, wherein the engagement wall exists in bilateral symmetry around the hole at the end portion of the second panel member.
- Claim 3. (Currently amended) The securing clip according to claim 1, wherein said an engagement face of the engagement wall engaging the regulation wall is inclined with respect to a central axis of the <u>U-character shape of the second fitting portion</u> hole at the end portion of the second panel member.

BEST AVAILABLE COP

10/773,573

DOCKET NO. P21-164404M/ISI

3

- Claim 4. (Currently amended) The securing clip according to claim 2, wherein said an engagement face of the engagement wall engaging the regulation wall is inclined with respect to a central axis of the <u>U-character shape of the second fitting portion</u> hole at the end portion of the second panel member.
- Claim 5. (Currently amended) The securing clip according to claim 1, further comprising a detachment grip portion for detaching the securing clip from the second panel member.
- Claim 6. (Currently amended) The securing clip according to claim 2, further comprising a detachment grip portion for detaching the securing clip from the second panel member.
- Claim 7. (Currently amended) The securing clip according to claim 3, further comprising a detachment grip portion for detaching the securing clip from the second panel member.
- Claim 8. (Original) The securing clip according to claim 1, wherein a rib wall is protruded on an inner wall face of the second fitting portion.
- Claim 9. (Original) The securing clip according to claim 2, wherein a rib wall is protruded on an inner wall face of the second fitting portion.

BEST AVAILABLE

10/773,573

DOCKET NO. P21-164404M/ISI

- Claim 10. (Original) The securing clip according to claim 3, wherein a rib wall is protruded on an inner wall face of the second fitting portion.
- Claim 11. (Original) The securing clip according to claim 4, wherein a rib wall is protruded on an inner wall face of the second fitting portion.
- Claim 12. (Currently amended) The clip of claim 1, wherein said engagement face of the engagement wall is inclined such that said engagement wall is wedged into contact with the second panel member upon abutting the regulating wall of the second panel member.
- (Currently amended) The clip of claim 1, wherein said engagement face of the Claim 13. engagement wall is inclined such that contact with the regulating wall of the second panel member resists removal of said second panel member from said second fitting portion.
- Claim 14. (Currently amended) A securing clip for securing a first panel having a hole to a second panel having a hole and a regulating wall, the securing clip comprising:
- a first U-shaped fitting comprising a first engaging pawl on an inner wall of the first U-shaped fitting for engaging the hole in the first panel; and

a second U-shaped fitting comprising:

a second engaging pawl on an inner wall of the second U-shaped fitting for engaging the hole in the second panel; and

an engagement wall comprising an engaging face at an end of the engagement wall that faces an opening in the closed end of the U-shape of the second U-shaped

BEST AVAILABLE COT

10/773,573 DOCKET NO. P21-164404M/ISI

5

fitting adapted to engage the regulation wall on the second panel,
wherein the first U-shaped fitting and the second U-shaped fitting form an S-shaped
cross-section.

- Claim 15. (Previously presented) The clip of claim 14, wherein the engagement wall comprises a pair of engagement walls.
- Claim 16. (Previously presented) The clip of claim 15, wherein said pair of engagement walls are symmetrically positioned around said second engaging pawl.
- Claim 17. (Currently amended) The clip of claim 14, wherein said the engagement wall comprises an engagement face that is inclined with respect to an axis of said hole in said second panel.
- Claim 18. (Previously presented) The clip of claim 14, further comprising a detachment grip adapted to detach the securing clip from the second panel.
- Claim 19. (Previously presented) The clip of claim 14, wherein said second fitting further comprises a rib wall on an inner wall face.
- Claim 20. (Previously presented) The clip of claim 14, wherein said engagement wall is inclined such that contact with the regulating wall of the second panel resists removal of said second panel from said second fitting.

## BEST AVAILABLE COP